Portable Computerized Pneumatic Nut-Runner

Power Torque Setter BOOEK-L





Accurate (within 5%)

KUKEN original torque sensor makes it possible to achieve accurate results.

Low Noise & Low Vibration

Succeeded to reduce noise & vibration with its static fastening and noise reduction system.

Easy to change torque

Enables to input different torque settings and to be changed quickly.

Reverse Function

Able to fasten left handed screws and also to loosen.

Data Transmission

Enables to store results to a computer.

SPECIFICATIONS

(Performance figures are at 0.62 MPa(Pe) / 90 P.S.I. air

Model	Torque Range (Nm)	Step (Nm)	Pre Sets	Battery	Free Speed rpm	Air Consumption m ³ (normal)/min	l level	Vibration Level m/s ²	Drive Size	Length (mm)	Weight (kg)
PTS-800EX-L	400 - 800	1	3	4	90	0.38	78	< 2.5	25.4 SQ.	457	6.7

Length and weight measurements are without sockets and reaction force



KUKEN CO., LTD.

3-6-15 Nonoue, Habikino-shi, Osaka 583-0871, Japan

Tel: +81-72-953-3346 Fax: +81-72-953-0605

Web: www.kuken.co.jp/english E-mail: export1@kuken.co.jp



